MATERIAL SAFETY DATA SHEET

DATE: 9/26/13

PAGE: 1

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION

ALBION-CLARIANT MASTERBATCHES

926 ELLIOTT ROAD

ALBION MI 49224

PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434 CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 6001-L NATURAL

PRODUCT CODE: 801152

***** MATERIAL SAFETY DATA SHEET *****

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT. THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE "STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ---->1

FLAMMABILITY ---->1

REACTIVITY ---->0

PERSONAL PROTECTION -->B

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION

ALBION-CLARIANT MASTERBATCHES

926 ELLIOTT ROAD

ALBION MI 49224

PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434 CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 6001-L NATURAL

PRODUCT CODE: 801152

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

6001-L NATURAL

PRODUCT CODE:

801152 VERSION NUMBER: 4 DATE: 9/26/13

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + ADDITIVE

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

NOVE

NONE

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: NA SPECIFIC GRAVITY: 1.13 VAPOR PRESSURE: NA

MELTING POINT: Non Determined

VAPOR DENSITY: NA EVAPORATION RATE: NA

SOLUBILITY IN WATER: INSOLUBLE

APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 350 C.

THE METHOD USED TO DETERMINE THIS IS: NA

ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH

POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

APPROVED PRESSURE DEMAND BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE USED FOR ALL FIRES. WATER SPRAY IS THE PREFERRED EXTINGUISHING MEDIUM. THIS PRODUCT WILL MELT BUT WILL NOT BE CARRIED ON THE SURFACE OF WATER.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

MATERIAL SAFETY DATA SHEET

DATE: 9/26/13

PAGE:

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION

ALBION-CLARIANT MASTERBATCHES

926 ELLIOTT ROAD

ALBION MI 49224

PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434 CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 6001-L NATURAL

PRODUCT CODE: 801152

SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)

COMPLETE COMBUSTION IS EXPECTED TO PRODUCE CARBON, OXIDES OF CARBON AND NITROGEN, PLUS TRACE AMOUNTS OF ELEMENTAL CHEMICALS.

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

AVOID EXPOSURE TO HEAT, SPARK, OR OPEN FLAME.

INCOMPATILBILITY (MATERIALS TO AVOID):

AVOID CONTACT WITH STRONG ALKALI, AMINES.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION YIELDS A LARGE VARIETY OF ORGANIC AND INORGANIC PRODUCTS, DEPENDING ON PRODUCT GRADE, TEMPERATURE AND OTHER IMMEDIATE

ENVIRONMENTAL FACTORS.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

AVOID CONTACT WITH STRONG CHEMICAL OXIDIZING AGENTS.

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHOULD BE AVOIDED BY WEARING AN APPROVED DUST MASK. INHALATION OF ANY

NUISANCE DUST MAY CAUSE RESPIRATORY IRRITATION.

HEALTH HAZARD: SKIN

SKIN CONTACT WITH THE PELLETS AS RECEIVED DOES NOT PRESENT ANY KNOWN HEALTH

HAZARD. HOT MOLTEN POLYMER WILL CAUSE SEVERE THERMAL BURNS.

HEALTH HAZARD: INGESTION

NOT A PROBABLE ROUTE OF EXPOSURE.

MATERIAL SAFETY DATA SHEET PAGE: 4

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION

ALBION-CLARIANT MASTERBATCHES

926 ELLIOTT ROAD

ALBION MI 49224

PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434 CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 6001-L NATURAL

PRODUCT CODE: 801152

SECTION VI - HEALTH HAZARD DATA: (CONT)

HEALTH HAZARD: EYE CONTACT

INFORMATION NOT CURRENTLY AVAILABLE

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? NO

SIGNS AND SYMPTOMS OF EXPOSURE:

* THE FOLLOWING INFORMATION IS PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) PER OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

NONE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)

APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE

INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE,

THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.

WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

NONE

EMERGENCY FIRST AID: INHALATION

REMOVE TO CLEAN, FRESH AIR AND TREAT SYMPTOMATICALLY.

EMERGENCY FIRST AID: SKIN

IF MOLTEN POLYMER CONTACTS THE SKIN, COOL RAPIDLY WITH COLD WATER. DO NOT ATTEMPT TO PEEL POLYMER FROM SKIN. OBTAIN MEDICAL ATTENTION FOR THERMAL BURN. SKIN ABSORPTION OF REGROUND PELLETS IS UNLIKELY.

EMERGENCY FIRST AID: INGESTION

IF INGESTED, SEEK MEDICAL ASSISTANCE

EMERGENCY FIRST AID: EYE CONTACT

INFORMATION NOT CURRENTLY AVAILABLE

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

DATE: 9/26/13 MATERIAL SAFETY DATA SHEET PAGE:

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION

ALBION-CLARIANT MASTERBATCHES

926 ELLIOTT ROAD

MI 49224 ALBION

PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434 CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 6001-L NATURAL

PRODUCT CODE: 801152

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

VENTILATE AREA. REMOVE SOURCES OF IGNITION. SWEEP OR SHOVEL SPILLS INTO

APPROPRIATE CONTAINER FOR DISPOSAL.

HANDLING: WASTE DISPOSAL

LANDFILL OR INCINERATE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL LAWS.

HANDLING: STORAGE

AVOID CREATING DUST. REPAIR ALL BROKEN BAGS.

HANDLING: OTHER PRECAUTIONS

IN ACCORDANCE WITH GOOD MANUFACTURING PRACTICES, GOOD GENERAL VENTILATION

OF THE POLYMER PROCESSING AREA IS RECOMMENDED.

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION

FOR FUMES, USE APPROVED RESPIRATOR FOR ORGANIC VAPORS AND ACID GASES. FOR

FOR SECONDARY OPERATION DUST, USE APPROVED DUST RESPIRATOR.

CONTROL: VENTILATION

USE ONLY WITH ADEOUATE VENTILATION AND DUST CONTAINMENT.

CONTROL: GLOVES

RUBBER

CONTROL: EYE PROTECTION

PROCESSING MAY CAUSE EYE IRRITATION, WEAR APPROPRIATE EYE PROTECTION. TAKE

SPECIAL PRECAUTION WHEN IN MOLTEN STATE.

CONTROL: OTHER CLOTHING

PROTECTIVE APRON

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SECTION IX - OTHER REGULATORY INFORMATION:

DATE: 9/26/13

PAGE:

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION

ALBION-CLARIANT MASTERBATCHES 926 ELLIOTT ROAD

ALBION MI 49224

PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434 CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 6001-L NATURAL

PRODUCT CODE: 801152

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.

DOES NOT

CAS # EXCEED(%) DESCRIPTION

NONE

ידואדי

REACH REGULATION - THE SVHC REPORTED IN THE PROPOSAL LIST FOR INCLUSION IN ANNEX XIV (ART 59.4) AND ACCORDING TO OUR KNOWLEDGE AND THE REACH REGULATION ITSELF. DETAILS ABOUT SVHC CONTAINED IN OUR MB ARE HEREUNDER REPORTED AS OF FEBRUARY 2010.

DOES NOT

CAS #

EXCEED(%) DESCRIPTION

NONE

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY AS REQUIRED BY FEDERAL LAW.

THIS MSDS ADHERES TO THE REGULATORY REQUIREMENTS OF THE USA AND MAY NOT MEET THE REGULATORY REQUIREMENTS IN OTHER COUNTRIES.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65. NONE

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO
CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65. NONE

DATE: 9/26/13 PAGE:

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION

ALBION-CLARIANT MASTERBATCHES

926 ELLIOTT ROAD

ALBION MI 49224

PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434 CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 6001-L NATURAL

PRODUCT CODE: 801152

SECTION X - STATE REGULATORY INFORMATION: (CONT)

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW:

NONE

FLORIDA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A

HAZARDOUS CHEMICAL AS LISTED ON THE FLORIDA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT

SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

MASSACHUSETTS:NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE MASSACHUSETTS HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

CAPROLACTAM CAS# 105-60-2 >1.0%

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

CAPROLACTAM CAS# 105-60-2 >1.0%

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

CAPROLACTAM CAS# 105-60-2 >1.0%

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE. IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION

ALBION-CLARIANT MASTERBATCHES

926 ELLIOTT ROAD

ALBION MI 49224

PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434 CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 6001-L NATURAL

PRODUCT CODE: 801152

CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.