# SAFETY DATA SHEET

## 1. Chemical product and company identification

Product name Multilon® DN-3520F

SDS Number DN3520F-JpE

Version number 01

Issue date 04-01-2013

Revision date

Company name TEIJIN Limited.

Address 2-1, Kasumigaseki 3-chome, Chiyoda-ku, Tokyo 100-8585, Japan

**Division** Environment Quality Assurance Department, Resin & Plastic Processing BU

**Telephone number** +81 3-3506-4717 **Fax** +81 3-3580-6680

# Recommended use of the chemical and restrictions on use

Intended use Molding material for industry use

#### 2. Hazards identification

### **GHS-classification**

Physical hazards Not classified

Health hazards Skin sensitization Category 1

Environmental hazards Not classified

\*Hazards not stated here are "Not applicable" or "Classification not possible".

#### **GHS** label elements

**Symbols** 



Signal words Warning

**Hazard statement** May cause an allergic skin reaction.

**Precautionary statement** 

Prevention Avoid breathing dust/fume. Contaminated work clothing should not be allowed out of the

workplace. Wear protective gloves.

**Response** IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get

medical advice/attention. Take off contaminated clothing and wash it before reuse.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international

regulations.

**National/local information** See section 15 for regulatory information.

# 3. Composition/information on ingredients

Substance or Mixture Mixture

### **Gazette notification**

Components	CAS#	ENCS no.	ISHL no.	Concentration (%)
Polycarbonate resin	25971-63-5	(7)-738	(7)-738	50 – 60
Acrylonitrile butadiene styrene resin	9003-56-9	(6)-176	(6)-176	10 – 20
Wollastonite	13983-17-0	Exempted	Exempted	=< 20
Phosphorous flame retardant	Proprietary	Proprietary	Proprietary	=< 10
Modifier	Proprietary	Proprietary	Proprietary	=< 10

**Chemical formula:** (C15H16O2.CCl2O)x (25971-63-5), (C8H8.C4H6.C3H3N)x (9003-56-9), Ca.H2-O3-Si

(13983-17-0)

### 4. First aid measures

If inhaled In case of inhalation of dusts or fumes from heated product: Move injured person into fresh

air and keep person calm under observation. Get medical attention if any discomfort

continues.

Company name: TEIJIN Limited. Multilon® DN-3520F
2604 Version #: 01 Revision date: - SDS JAPAN
1/4

If on skin Rinse with water. In case of eczema or other skin disorders: Seek medical attention and

> take along these instructions. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of

adhering material and treatment of burn.

Dust in the eyes: Do not rub eyes. Flush thoroughly with water. If irritation occurs, get If in eyes

medical assistance.

If swallowed

Expected acute and delayed **Symptoms** 

Rinse mouth thoroughly. Large quantities: Get medical attention if symptoms occur. Chronic inhalation of fumes or dust may cause irritation or other respiratory conditions (e.g.,

bronchitis). May cause eczema-like skin disorders (dermatitis).

Protection of first-aid responders

First aid personnel must be aware of own risk during rescue.

Notes to physician Symptoms may be delayed.

# 5. Fire-fighting measures

Extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Extinguishing media to avoid

Specific hazards During fire, gases hazardous to health may be formed.

Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials.

Selection of respiratory protection for fire fighting: follow the general fire precautions

indicated in the workplace.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency measures

Protection of fire-fighters

Avoid inhalation of dust and contact with skin and eyes, Avoid vapors from heated materials

to prevent exposure to potentially toxic/irritating fumes.

**Environmental precautions** 

Clean-up methods and materials and containment measures

Do not allow to enter drains, sewers or watercourses.

Collect and dispose of spillage as indicated in Section 13 of the SDS.

# 7. Handling and storage

#### Handling

**Technical measures** Use explosion-proof electrical equipment if airborne dust levels are high.

Local and general ventilation Provide adequate ventilation.

**Precautions** Use work methods which minimize dust production. Wear appropriate personal protective

equipment.

Safe handling advice Avoid inhalation of dust, Avoid prolonged or repeated contact with skin, Avoid vapors from

heated materials to prevent exposure to potentially toxic/irritating fumes.

Storage

**Technical measures** Avoid dust formation.

Suitable storage conditions

Store in closed original container in a dry place.

Safe packaging materials Keep in original container.

# 8. Exposure controls/personal protection

**Engineering measures** Provide adequate ventilation. Japan Society of Occupational Health, class 3 dust (limestone,

other inorganic and organic dusts): respirable dust 2 mg/m3, total dust 8 mg/m3.

Personal protective equipment

Wear respirator if there is dust formation. When the product is heated, use suitable Respiratory protection

respiratory equipment with gas filter for organic gas.

Hand protection Wear protective gloves. When material is heated, wear gloves to protect against thermal

Eye protection Use tight fitting goggles if dust is generated. If contact with hot material may occur, safety

glasses and face shield are recommended.

Skin and body protection

Wear suitable protective clothing.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment to remove contaminants.

Company name: TEIJIN Limited. Multilon® DN-3520F SDS JAPAN 2604 Version #: 01 Revision date: 2/4

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Pellets.
Color Natural.
Odor None.

pH Not applicable.
 Melting point/Freezing point Not available.
 Boiling point, initial boiling Not applicable.

point, and boiling range

Flash point Not available.

Auto-ignition temperature Not available.

Combustion characteristics Not available.

(solid, gas)

Flammability limit - lower (%)
Flammability limit - upper (%)
Vapor pressure
Vapor density

Not available.
Not applicable.
Not applicable.

Specific gravity 1.34

**Solubility** Insoluble in water **Partition coefficient** Not available.

(n-octanol/water)

**Decomposition temperature** Not available.

## 10. Stability and reactivity

**Stability** Stable under normal temperature conditions.

Possibility of hazardous reactions Will not occur.

Conditions to avoid None known.

Incompatible materials No data available.

Incompatible materials No data available.

Hazardous decomposition products

During combustion: Carbon monoxide. Carbon Dioxide. Acrylonitrile. Hydrogen cyanide.

Nitrogen oxides (NOx). Oxides of phosphorus.

# 11. Toxicological information

Acute toxicity May cause discomfort if swallowed.

Components Test Results

Phosphorous flame retardant (Proprietary)

Acute Dermal LD50 Rat: >= 2000 mg/kg

Acute Oral LD50 Rat: >= 2000 mg/kg

**Skin corrosion/irritation** Dust may irritate skin.

Serious eye damage/eye irritation Dust in the eyes will cause irritation. May cause redness and pain.

Respiratory sensitizer None known.

**Skin sensitizer** May cause allergic skin reaction.

Germ cell mutagenicity None known.

**Carcinogenicity** The product contains a small amount substance that is suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Acrylonitrile butadiene styrene resin (CAS 9003-56-9) 3 Not classifiable as to carcinogenicity to humans. Wollastonite (CAS 13983-17-0) 3 Not classifiable as to carcinogenicity to humans.

Carcinogenicity None known.

Toxic to reproduction None known.

Specific target organ toxicity - None known.

single exposure

repeated exposure

Specific target organ toxicity - The product contains a substance that may cause damage to organs through prolonged or

repeated exposure. Chronic inhalation of fumes or dust may cause irritation or other

respiratory conditions (e.g., bronchitis).

Company name: TEIJIN Limited. Multilon® DN-3520F
2604 Version #: 01 Revision date: - SDS JAPAN
3/4

# 12. Ecological information

**Ecotoxicity**The product components are not classified as environmentally hazardous. However, this

does not exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Persistence/degradability None known.
Bioaccumulation None known.

**Mobility in soil** The product is insoluble in water and will sediment in water systems.

Other hazardous effects None known.

# 13. Disposal considerations

Residual waste Dispose of waste at a facility with special permission to dispose industrial wastes. Waste

should be accompanied by a manifest for the industrial waste. Dispose of in accordance with local regulations. Do not discharge into rivers, lakes, mountains, etc. because the

product may affect the environment.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied.

# 14. Transport information

International regulations Not regulated as dangerous under UN transport regulation.

IATA Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

# 15. Regulatory information

**Industrial Safety and Health Act** 

Specified substances regulation
Organic solvents regulation
Not regulated.
Not regulated.
Labeling substances
Not regulated.

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.

Class I specified chemical substancesNot regulated.Class II specified chemical substancesNot regulated.Monitoring chemical substancesNot regulated.

Law concerning Pollutant Release and Transfer Register

Specified class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Fire Service Act Not dangerous goods under Fire Service Law

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule

Not regulated.

Air Law, Enforcement RuleNot regulated.Explosives Control ActNot regulated.High Pressure Gas Safety ActNot regulated.

Act on Prevention of Marine Pollution and Maritime Disaster

Not regulated.

## 16. Other information

The information about colorant is not contained in this SDS.

This information is provided without warranty. The information is believed to be correct. The precautions in this SDS are intended for normal use. Please take safety measures appropriate to the use and the application when handling the product in a special way. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Company name: TEIJIN Limited. Multilon® DN-3520F SDS JAPAN 2604 Version #: 01 Revision date: - 4/4