

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 9/26/13  
PAGE: 1

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
ALBION-CLARIANT MASTERBATCHES  
926 ELLIOTT ROAD  
ALBION MI 49224  
PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: R66G33 HSL BLACK  
PRODUCT CODE: 801059

\*\*\*\*\* MATERIAL SAFETY DATA SHEET \*\*\*\*\*

\*  
THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.  
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS  
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE  
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.  
\*  
\*  
IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE  
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.  
\*  
\*  
THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1  
FLAMMABILITY ----->1  
REACTIVITY ----->0  
PERSONAL PROTECTION -->B

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 9/26/13  
PAGE: 2

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
ALBION-CLARIANT MASTERBATCHES  
926 ELLIOTT ROAD  
ALBION MI 49224  
PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: R66G33 HSL BLACK  
PRODUCT CODE: 801059

-----  
SECTION I - PRODUCT INFORMATION:  
-----

PRODUCT DESCRIPTION:

R66G33 HSL BLACK

PRODUCT CODE:

801059

VERSION NUMBER:

1

DATE: 9/26/13

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S)

-----  
SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:  
-----

NONE

-----  
SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:  
-----

BOILING POINT: NA  
SPECIFIC GRAVITY: 1.18-1.40  
VAPOR PRESSURE: NA  
MELTING POINT: Non Determined  
VAPOR DENSITY: NA  
EVAPORATION RATE: NA  
SOLUBILITY IN WATER: INSOLUBLE  
APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

-----  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA:  
-----

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF C.  
THE METHOD USED TO DETERMINE THIS IS:  
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH  
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG

SPECIAL FIRE FIGHTING PROCEDURES:

TO PREVENT REIGNITION FLOOD WITH WATER

UNUSUAL FIRE AND EXPLOSION HAZARDS:

NONE KNOWN

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 9/26/13  
PAGE: 3

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
ALBION-CLARIANT MASTERBATCHES  
926 ELLIOTT ROAD  
ALBION MI 49224  
PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: R66G33 HSL BLACK  
PRODUCT CODE: 801059

-----  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)  
-----

-----  
SECTION V - REACTIVITY DATA:  
-----

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):  
HEATING ABOVE 340 C

INCOMPATIBILITY (MATERIALS TO AVOID):  
NONE KNOWN

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:  
HYDROGEN CYANIDE, CARBON MONOXIDE, NITROUS OXIDES, AMMONIA ARE POSSIBLE IN  
DECOMPOSITION SITUATIONS

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):  
N/A

-----  
SECTION VI - HEALTH HAZARD DATA:  
-----

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION  
LOW HAZARD FOR USUAL INDUSTRIAL OR COMMERCIAL HANDLING BY TRAINED PERSONNEL

HEALTH HAZARD: SKIN  
SKIN CONTACT WITH THE PELLETS AS RECEIVED DOES NOT PRESENT ANY KNOWN HEALTH  
HAZARD. HOT MOLTEN POLYMER WILL CAUSE SEVERE THERMAL BURNS.

HEALTH HAZARD: INGESTION  
NOT A PROBABLE ROUTE OF EXPOSURE.

HEALTH HAZARD: EYE CONTACT  
INFORMATION NOT CURRENTLY AVAILABLE

-----  
IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE  
-----

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 9/26/13  
PAGE: 4

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
ALBION-CLARIANT MASTERBATCHES  
926 ELLIOTT ROAD  
ALBION MI 49224  
PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: R66G33 HSL BLACK  
PRODUCT CODE: 801059

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? NO  
-----

SIGNS AND SYMPTOMS OF EXPOSURE:

\* THE FOLLOWING INFORMATION IS PROVIDED ON THE BELOW HAZARDOUS  
INGREDIENT(S) PER OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

NONE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

\* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)  
APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE  
INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE,  
THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.  
WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

NONE

EMERGENCY FIRST AID: INHALATION

REMOVE TO CLEAN, FRESH AIR AND TREAT SYMPTOMATICALLY.

EMERGENCY FIRST AID: SKIN

IF MOLTEN POLYMER CONTACTS THE SKIN, COOL RAPIDLY WITH COLD WATER. DO NOT  
ATTEMPT TO PEEL POLYMER FROM SKIN. OBTAIN MEDICAL ATTENTION FOR THERMAL  
BURN. SKIN ABSORPTION OF REGROUND PELLETS IS UNLIKELY.

EMERGENCY FIRST AID: INGESTION

NOT A PROBABLE ROUTE OF EXPOSURE.

EMERGENCY FIRST AID: EYE CONTACT

INFORMATION NOT CURRENTLY AVAILABLE

-----  
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:  
-----

HANDLING: SPILLAGE

WEARING APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT, CONTAIN SPILL, VENTILATE  
AREA OF SPILL OR LEAK. COLLECT INTO SUITABLE CONTAINER.

HANDLING: WASTE DISPOSAL

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 9/26/13  
PAGE: 5

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
ALBION-CLARIANT MASTERBATCHES  
926 ELLIOTT ROAD  
ALBION MI 49224  
PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: R66G33 HSL BLACK  
PRODUCT CODE: 801059

-----  
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE: (CONT)  
-----

LANDFILL OR INCINERATE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL LAWS.

HANDLING: STORAGE

COOL, DRY STORAGE IN CLOSED CONTAINERS TO PREVENT MOISTURE ABSORPTION AND  
CONTAMINATION.

HANDLING: OTHER PRECAUTIONS

IN ACCORDANCE WITH GOOD MANUFACTURING PRACTICES, GOOD GENERAL VENTILATION  
OF THE POLYMER PROCESSING AREA IS RECOMMENDED.

-----  
SECTION VIII - CONTROL MEASURES:  
-----

CONTROL: RESPIRATORY PROTECTION  
NOT NECESSARY.

CONTROL: VENTILATION

LOCAL EXHAUST VENTILATION AS NECESSARY TO CONTROL DUST AS APPLICABLE.

CONTROL: GLOVES

USE GLOVES WHEN POLYMER IS HOT TO MINIMIZE SKIN CONTACT.

CONTROL: EYE PROTECTION

USE SAFETY GLASSES

CONTROL: OTHER CLOTHING

WEAR LONG SLEEVED SHIRTS AND PANTS TO MINIMIZE SKIN CONTACT.

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

-----  
SECTION IX - OTHER REGULATORY INFORMATION:  
-----

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE  
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND  
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:  
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED  
AND DISTRIBUTED FOR THIS MATERIAL.  
DOES NOT

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 9/26/13  
PAGE: 6

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
ALBION-CLARIANT MASTERBATCHES  
926 ELLIOTT ROAD  
ALBION MI 49224  
PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: R66G33 HSL BLACK  
PRODUCT CODE: 801059

SECTION IX - OTHER REGULATORY INFORMATION: (CONT)

CAS # EXCEED(%) DESCRIPTION  
NONE

REACH REGULATION - THE SVHC REPORTED IN THE PROPOSAL LIST FOR INCLUSION  
IN ANNEX XIV (ART 59.4) AND ACCORDING TO OUR KNOWLEDGE AND THE REACH  
REGULATION ITSELF. DETAILS ABOUT SVHC CONTAINED IN OUR MB ARE HEREUNDER  
REPORTED AS OF FEBRUARY 2010.

DOES NOT  
CAS # EXCEED(%) DESCRIPTION  
NONE

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN  
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY  
AS REQUIRED BY FEDERAL LAW.  
THIS MSDS ADHERES TO THE REGULATORY REQUIREMENTS OF THE USA AND MAY NOT  
MEET THE REGULATORY REQUIREMENTS IN OTHER COUNTRIES.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS  
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE CANCER ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS  
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
NONE

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS  
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM  
ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS  
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
NONE

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
AS GIVEN IN WHMIS IS SHOWN BELOW:  
NONE

FLORIDA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 9/26/13  
PAGE: 7

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
ALBION-CLARIANT MASTERBATCHES  
926 ELLIOTT ROAD  
ALBION MI 49224  
PHONE: 517-629-9101

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: R66G33 HSL BLACK  
PRODUCT CODE: 801059

-----  
SECTION X - STATE REGULATORY INFORMATION: (CONT)  
-----

INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE FLORIDA HAZARDOUS LIST  
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

MASSACHUSETTS: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE MASSACHUSETTS HAZARDOUS  
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED  
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST  
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS  
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED  
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS  
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.  
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT  
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE  
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS  
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER  
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.